

JOINT MESSAGEFORM				RESERVED FOR COMMUNICATION CENTER	
SECURITY CLASSIFICATION					
TYPE MSG	BOOK	MULTI	SINGLE		
PRECEDENCE					
ACTION PRIORITY					
INFO				DTG	
<p>FROM [REDACTED]</p> <p>TO: [REDACTED]</p> <p>INFO: PRIORITY [REDACTED]</p> <p>SUBJ [REDACTED]</p> <p>25X1A</p> <p>25X1A</p> <p>25X1A</p> <p>A. MIS. ION NER. BX 6729</p> <p>B. FINAL EVALUATION OF INS DATA</p> <p>C. INS 010</p> <p>D. DATA ST. RTS LINE 27, TIME 01514.</p> <p>DATA ENDS LINE 671, TIME 12407.</p> <p>ALL RECORDINGS BETWEEN TIMES 01756 AND 05038, LINE 74 ARE BAD DUE TO TAPE TRANSPORT TURN ON. SUGGEST DELETION.</p> <p>ALL RECORDINGS BETWEEN TIMES 06790 AND 10647 LINE 381 ARE BAD DUE TO INX TAPE TRANSPORT TURN ON. SUGGEST DELETION.</p> <p>END OF MESSAGE</p>				<p>SPECIAL INSTRUCTIONS</p> <p>1 SIG CEN</p> <p>1 CDR</p> <p>1 DCM</p> <p>1 INS</p> <p>1 DCO</p>	
				DATE	TIME
				18TH	YEAR
				002 E NO.	1967 PAGES
D R A F T E R	TYPED NAME AND TITLE		PHONE	SIGNATURE	
	<p>25X1A</p> <p>[REDACTED] SUPERVISOR</p>			<p>1</p> <p>1</p>	
SECURITY CLASSIFICATION				REGRADING INSTRUCTIONS	
Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2					

25X1D

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

Next 1 Page(s) In Document Exempt

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

BT

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

XXXXXX

[REDACTED] 25X1A

TOP SECRET 151244Z OCT [REDACTED] 1507

25X1A

IMMEDIATE [REDACTED] 25X1A

OXCART BLACK SHIELD

[REDACTED] 25X1A

REF A. BX6729

B. [REDACTED] 25X1A

1. FOLLOWING INFO IN LIEU OF EXPOSURE NUMBER DATA IN

[REDACTED] AND WILL BE USED FOR MISSION BX6729.

25X1A

	EXPOSURE NUMBER	SHUTTER SPEED
PAGE 1	7	1/170
PAGE 2	7	1/170

2. REQUEST IMMEDIATE ACKNOWLEDGMENT OF RECEIPT.

TOP SECRET

BT

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

26 OCT 67 10 53z

NNNNZCZC983

FTP005/261940Z ZFO [] 25X1A

BT

XXXXX

OPCEN 416 [] 25X1A

OPCEN PASS [] 25X1A

25103

TOP SECRET 261934Z CITE [] 25X1A

25X1A

A. BX 5729

B. INS-FILM CORRELATION REPORT

C. INS 010

D. 1. INS TAPE AND FILM AGREE

2. INS TAPE AND FILM AGREE

3. INS TAPE AND FILM AGREE

4. INS TAPE READING WAS HIGHER THAN FILM BY A RANGE OF .0004

TO .0010 RAD/SEC THROUGHOUT MISSION.

5. SATISFACTORY

6. SATISFACTORY

7. SATISFACTORY

8. SATISFACTORY

9. SATISFACTORY

10. FILM CLOCK WAS A CONSTANT ONE SECOND HIGHER THAN INS TAPE
THROUGHOUT MISSION.

E. SATISFACTORY CORRELATION HAS BEEN ACHIEVED ON THIS MISSION.

TOP SECRET

BT

NNNNZCZC572

FTP526/182110Z ZFF1 ZP

25X1A

19 OCT 67 21 15z

BT

XXXXX

OPCEN 369

039

OPCEN PASS

25X1A

24980

yna

25X1A

T O P S E C R E T 182105Z CITE

25X1A

. BX 6729

B. INS TAPE EVALUATION REPORT

C. INS 010

D. 18/1315Z

E. 1. ~~THE TAPE EVALUATION IS APPROXIMATELY 20 LINES.~~

2. SATISFACTORY

3. SATISFACTORY

4. SATISFACTORY

5. SATISFACTORY

6. SATISFACTORY

7. SATISFACTORY

8. SATISFACTORY

9. SATISFACTORY

10. BETWEEN ELAPSED TIMES 06593 AND 06602, THE UNITS LIGHT WAS MISSING ON THE ELAPSED TIME RECORD. THE ELAPSED TIME WAS ESTIMATED TO BE 06597.

F. TAPE APPEARS GENERALLY SATISFACTORY. ERRORS CAN BE SALVAGED. TAPE EVALUATION IS DURING CAMERA OPERATIONS ONLY. CAGE RECORD SEEMS QUESTIONABLE IN CERTAIN AREAS DURING CAMERA OPERATIONS AND WILL BE CHECKED AGAINST FILM TO LOCATE ANY ERRORS.

T O P S E C

E T

BT

DCM

JOINT MESSAGE For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

SECURITY CLASSIFICATION

18 OCT 67 08 55z

TYPE MSG

BOOK

MULTI

SINGLE

PRECEDENCE

ACTION

IMMEDIATE

INFO

DTG

FROM:

25X1A

TO:

25X1A

SPECIAL INSTRUCTIONS

1 SIG CEN

1 CMDR

1 DCM

1 INS

1 DCO

A. BX6729

B. INS TAPE REPORT

C. INS ~~010~~

D.. DATA LINK

E. SEE H

F. SEE H

G. 671018 020358

H. INS DATA GOOD. WILL RETAIN TAPES UNLESS OTHERWISE NOTIFIED.

DATE

18

TIME

MONTH

OCT

YEAR

67

PAGE NO.

1

NO. OF

PAGES

1

25X1A

D
R
A
F
T
E
R

PHONE

R
E
L
E
A
S
E
S

SIGNATURE

25X1A

TYPED (or stamped) NAME AND TITLE

MISSION COORDINATOR

SECURITY CLASSIFICATION

REGRADING INSTRUCTIONS

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

JOINT MESSAGE 5081 Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

RESERVED FOR COMMUNICATION CENTER

SECURITY CLASSIFICATION

18 OCT 67 13 01z

TYPE MSG

BOOK

MULTI

SINGLE

PRECEDENCE

ACTION

PRIORITY

INFO

DTG

FROM

TO:

INFO: PRIORITY

SUBJ

25X1A

25X1A

25X1A

SPECIAL INSTRUCTIONS

1 SIG CEN
1 CMDR
1 DCM
1 INS
1 DCO

A. MISSION NBR. BX 6729

B. FINAL EVALUATION OF INS DATA

C. INS 010

D. DATA STARTS LINE 27, TIME 01514.

DATA ENDS LINE 671, TIME 12407.

ALL RECORDINGS BETWEEN TIMES 01756 AND 05038, LINE 74 ARE BAD
DUE TO TAPE TRANSPORT TURN ON. SUGGEST DELETION.

ALL RECORDINGS BETWEEN TIMES 06790 AND 10647 LINE 381 ARE
BAD DUE TO INX TAPE TRANSPORT TURN ON. SUGGEST DELETION.

END OF MESSAGE

DATE

TIME

18
MONTH

YEAR

002
PAGE NO.

1967
PAGES

25X1A

25X1A

D
R
A
F
T
E
R

R
E
L
E
A
S
E
R

DD FORM 173

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED.

☆ GPO 1965-761-933

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010020-2
JOINT MESSAGE FORM - CONTINUATION SHEET

SECURITY CLASSIFICATION
CIA-RDP69B00041R001000010020-2

TOP SECRET


FROM:

SECRET

IMMEDIATE

IMMEDIATE

TO:



25X1A

OXGART/BLACKSHIELD/MATERIEL


- A. SPECIAL FUEL TEST REPORT (2 1/2 HOUR PRE-FLIGHT) BX 6729
- B. 086 1330L/18 STRIP ALERT
- C. FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

END OF MESSAGE

- 1 SIG CEN
- 1 CMDR
- 1 DCM
- 1 CP
- 1 POL

25X1A

RECEIVED



INITIALS

TOP SECRET

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

2. HOUR DELAY CHECKLIST

MISSION NUMBER 6729

H-HOUR

FRI

127

SEC 127

ITEM	TASKS REQUIRED	H-HOUR START	H-HOUR COFF	ACTUAL TIME COMP	TIME CONF		CF CALLED	
					PRI	SEC	PRI	SEC
1	PACKAGE I HELIUM PURGE - Q-BAY	H-21	H-00:30	0945				
2	<input type="checkbox"/> RECEIVED 25X1A		H-22	1215				
3	TEB AND REFUEL	H-22	H-19	1515	1340	1315	1400	1400
4	ARC-50 CODES RECEIVED		H-22	1215				
5	COMMO AND IFF PREFLIGHT	H-22	H-18	1645	13:00	1230		
6	SELECT RECOVERY CREW AND GIVE TO COM	H-20	H-16	1815				
7	AIRCRAFT PREFLIGHT EXTENSION	H-16	H-00:30	0945				
8	CHANGE PACKAGE DATA CHAMBER AND PROGRAM	H-11	H-9	0115				
9	SYSTEM VI, BATTERY CHANGE	H-11	H-09:30	0045				
10	FOL SEND <input type="checkbox"/> 25X1A		H-10:45	2315				
11	LOX TOP OFF	H-4	H-03:30	0645	0630	2200		
12	NITROGEN TOP OFF	H-4	H-03:30	0645	0630	2200		
13	AIRCRAFT STATUS BRIEF: CG, INS, EWS, PKG, AND ECM	H-03:30	H-4	0715				
14	START INS WARMUP		H-03:30	0645	06:45	0700	0650	0700
15	INS DATA TAPE LOADING	H-02:30	H-2	0815				
16	PERSONAL EQUIPMENT LOADED	H-02:15	H-2	0815				
17	COCKPIT SET UP PER CODE SHEET	H-2	H-01:50	0825				
18	MAINT CALL SECURITY TO STERILIZE COCKPIT		H-01:50	0825				
19	VUE/FINDER LOADED WITH FILM	H-01:40	H-01:10	0905				
20	ENGINEER CHECK AIRCRAFT	H-01:30	H-1	0915				
21	ENGINE START		H-00:30	0945				
22	TAXI		H-00:20	0955				
23	RECOVERY GEAR IN PLACE		H-1	1115	1215			

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

JOINT MESSAGEFORM - CONTINUATION SHEET

SECURITY CLASSIFICATION

**TOP SECRET
IMMEDIATE**

FROM:

17 OCT 67 11 34Z

IMMEDIATE

TO:

25X1A

OXCART/BLACKSHIELD/MATERIEL

A. SPECIAL FUEL TEST REPORT (POST REFUEL) BX 6729

B. 084 1950L/17

094 2000L/17

099 2015L/17

504 2030L/17

C. FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA (REF
A/G WERE TOPPED WITH 5000 LBS OF SPECIAL FUEL)

END OF MESSAGE

1 SIG CEN
1 CMDR
1 DCM
1 GP
1 POL25X1A DRAFTER
RELEASED

MISSION COORDINATOR

SYMBOL

PAGE
NRNR OF
PAGES

SECURITY CLASSIFICATION

INITIALS

TOP SECRETDD FORM 173-1
MAY 55

JOINT MESSAGEFORM - CONTINUATION SHEET


**TOP SECRET
IMMEDIATE**

FROM:

17 07 22 26Z

IMMEDIATE

TO:



154

25X1A

OXCART/BLACKSHIELD/MATERIEL

A.A SPECIAL FUEL TEST REPORT (2 1/2 HOUR PRE-FLIGHT) EX 6729

B. 086 0415L/18 SPARE

094 0425L/18 SPARE

089 0435L/18

084 0505L/18

099 0510L/18

504 0520L/18

490 0710L/18

C. FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

END OF MESSAGE

1 SIG GEN
1 CMDR
1 DCM
1 CP
1 POL

DRAFTER

MISSION COORDINATOR

SYMBOL

PAGE
NRNR OF
PAGES

SECURITY CLASSIFICATION

INITIALS

TOP SECRETDD FORM 173-1
MAY 55

JOINT MESSAGE FORM CONTINUATION SHEET

SECURITY CLASSIFICATION: CIA-RDP69B00041R001000010023-2

SECRET

FROM:


25X1A

S533

ROUTINE

17 OCT 67 06 56z

TO:



OXCART/BLACKSHIELD/MATERIEL

1 SIG CEN

1 CMDR

1 DOM

1 POL

1.(A) SPECIAL FUEL TEST REPORT (POST FLIGHT)

(B) 089 1055L/17

084 1400L/17

099 1410L/17

504 1420L/17

(C) FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

2.(A) SPECIAL FUEL TEST REPORT (POST REFUEL)

(B) 089 1435L/17

504 1550L/17

099 1600L/17

084 1615L/17

(C) FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

END OF MESSAGE

25X1A

RELEASED



SYMBOL

PAGE
NRNR OF
PAGES

SECURITY CLASSIFICATION

SECRET

INITIALS

DD FORM
1 MAY 55

173A1

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2

U.S. GOVERNMENT PRINTING OFFICE: 1962-644744

24 HOUR DELAY CHECKLIST

MISSION NUMBER 6729H-HOUR 1015PRI 129SEC 127

ITEM	TASKS REQUIRED	H-HOUR START	H-HOUR COMP	ACTUAL TIME COMP	TIME COMP		CF CALLED	
					PRI	SEC	FRI	SEC
1	PACKAGE I HELIUM PURGE - Q-BAY	H-24	H-00:30	0945				
2	<input type="checkbox"/> 25X1A		H-22	1215				
3	TEB AND REFUEL	H-22	H-19	1515	13:10	1020	153	1025
4	ARC-50 CODES RECEIVED		H-22	1215				
5	COMMO AND IFF PREFLIGHT	H-22	H-18	1615	1530	1000		
6	SELECT RECOVERY CREW AND GIVE TO DCM	H-20	H-16	1815				
7	AIRCRAFT PREFLIGHT EXTENSION	H-16	H-00:30	0945				
8	CHANGE PACKAGE DATA CHAMBER AND PROGRAM	H-11	H-9	0115				
9	SYSTEM VI, BATTERY CHANGE	H-11	H-09:30	0045				
10	PGI SEND <input type="checkbox"/> 25X1A		H-10:45	2315				
11	LOX TOP OFF	H-4	H-03:30	0645	0645	1630		
12	NITROGEN TOP OFF	H-4	H-03:30	0645	0645			
13	AIRCRAFT STATUS BRIEF: CC, INS, EWS, PRG, AND DCM	H-03:30	H-4	0715				
14	START INS WARWUI		H-03:30	0645	0645	0645	0705	0800
15	INS DATA TAPE LOADING	H-02:30	H-2	0815				
16	PERSONAL EQUIPMENT LOADED	H-02:15	H-2	0815				
17	COCKPIT SET UP PER CODE SHEET	H-2	H-01:50	0825				
18	MAINT CALL SECURITY TO STERILIZE COCKPIT		H-01:50	0825				
19	VISU-FINDER LOADED WITH FILM	H-01:40	H-01:10	0905				
20	ENGINEER CHECK AIRCRAFT	H-01:30	H-1	0915				
21	ENGINE START		H-00:30	0945				
22	TAXI		H-00:20	0955				
23	RECOVERY GEAR IN PLACE		H-1	1115				

JOINT MESSAGEFORM - CONTINUATION SHEET

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2
SECURITY CLASSIFICATION: TOP SECRET

FROM:

16 OCT 67 22 13z

IMMEDIATE

TOP SECRET
IMMEDIATE

TO:

2406

25X1A

OXCAR/BLACKSHIELD/MATERIEL

A. SPECIAL FUEL TEST REPORT (2 1/2 HOUR PRE-FLIGHT) BX 6729

B. 089 0510L/17

086 0520L/17 SPARE

094 0535L/17 SPARE

084 0615L/17

099 0625L/17

304 0630L/17

490 0715L/17

C. FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

END OF MESSAGE

1 SIG CEN
1 OADR
1 DOW
1 OB
1 POL

25X1A

25X1A

DRAFTER

[Redacted Box]

[Redacted Box]

SYMBOL

PAGE
NR

NR OF
PAGES

SECURITY CLASSIFICATION

INITIALS

TOP SECRET

JOINT MESSAGEFORM CONTINUATION SHEET

SECURITY CLASSIFICATION
2002/06/13 : CIA-RDP69B00041R001000010023-2**TOP SECRET**
IMMEDIATE

FROM:

8247

IMMEDIATE

TO:

25X1A

OXOART/BLACKSHIELD/MATERIEL

A. SPECIAL FUEL TEST REPORT (POST REFUEL) BX 6729

B. 099 1040L/15

490 1055L/15

084 1555L/15

094 1605L/15 SPARE

089 1620L/15

086 1900L/15 SPARE

C. FUEL TESTED IN PARA B QUAL IAW SECTION VII TEST CRITERIA

END OF MESSAGE

1 SIG CEN

1 CMDR

1 DCM

1 CP

1 POL

25X1A
DRAFTER
RELEASER25X1A
MISSION COORDINATOR

SYMBOL

PAGE
NRNR OF
PAGES

SECURITY CLASSIFICATION

INITIALS

TOP SECRET

2 HOUR GENERATION CHECKLIST

MISSION NUMBER 0127H-HOUR 1015LPRI 127 SEC 121

Approved For Release 2002/06/13

ITEM	TASKS REQUIRED	START	COMP	TIME COMP	23-2 TIME CCAT		CP CALLED	
					FRI	SEC	FRI	SEC
1	MAINTENANCE ALERTED		H-24	1015				
2	DCM MEETING		H-23	1115				
3	MAINT SECURE NITROGEN, OXYGEN		H-23	1115				
4	ICL SECURE FUEL TRUCKS		H-23	1115				
5	START MISSION AIRCRAFT PREFLIGHT	H-22:30	H-00:30	0945				
6	RECEIVE FUEL LOAD FROM FLIGHT PLANNING		H-22:30	1145				
7	RECEIVED 25X1A		H-22	1215				
8	TEB AND REFUEL	H-22	H-19	1515	1645	1130	1645	1145
9	ARC-50 CODES RECEIVED		H-22	1215				
10	COMM AND IFF PREFLIGHT	H-22	H-18	1615	1510	1615		
11	SELECT RECOVERY CTR. AND GIVE TO DCM	H-20	H-16	1815				
12	INS PREFLIGHT	H-18	H-16	1815	1500	1530	1620	1600
13	ENS PREFLIGHT	H-16	H-13	2115	1600	1555	1620	1600
14	PACKAGE DATA RECEIVED		H-13:45	2030				
15	PACKAGE LOADED	H-13	H-08:30	0145	2330	2300	2330	2310
16	SIP AND SYSTEM VI, CHECKOUT 25X1A	H-11	H-08:30	0145	2330	2300		
17	POL SEND		H-10:45	2330				
18	LOX TOP OFF	H-4	H-03:30	0645				
19	NITROGEN TOP OFF	H-4	H-03:30	0645				
20	AIRCRAFT STATUS BRIEF: CC, INS, EMS, PKG, & DCM 0645	H-03:30	H-3	0715				
21	START INS CARBUP		H-03:30	0645				
22	INSTALL OSC MAGAZINE IN NOSE	H-03:30	H-3	0715				
23	INS DATA TAPE LOADING	H-02:30	H-2	0815				
24	PACKAGE I HELIUM PURGE C-BAY	H-2	H-00:30	0945				
25	PERSONAL EQUIPMENT LOADED	H-02:15	H-2	0815				
26	COCKPIT SET UP PER CODE SHEET	H-2	H-01:50	0825				
27	MAINT CALL SECURITY TO STERILIZE COCKPIT		H-01:50	0825				
28	VIEWFINDER LOADED WITH FILM	H-01:40	H-01:10	0905				
29	ENGINEER CHECK AIRCRAFT	H-01:30	H-1	0915				

Approved For Release 2002/06/13 : CIA-RDP60B00041R001000010025-2

24 HOUR GENERATION MESSAGE		Approved For Release 2002/06/13 : CIA-RDP69B00041R001000010023-2		H-HOUR START		H-HOUR COG		ACTUAL TIME COG		TIME CON PRI		EC		C. CHIED PRI		EC	
ITEM	TASKS REQUIRED																
30	ENGINE START					H-00:30	0945										
31	TAXI					H-00:20	0955										
32	RECOVERY GEAR IN PLACE					H-1	1115										
	POST MISSION LANDING CHECKLIST					L+HOUR	L+HOUR										
1	LAND AND COOL AIRCRAFT					L+00:00	L+00:30										
2	SECURE ACFT AND SERVICE ENG OIL					L+00:30	L+01:15										
3	REMOVE SCDA TARE AND GIVE TO 11					L+00:30	L+01:15										
4	REMOVE VIE FINDER FILM TARE AND 11					L+00:30	L+01:15										
5	REMOVE [] TARE 25X1A					L+00:30	L+01:15										
6	MAINTENANCE DEBRIEF					L+00:45	L+01:15										
7	REMOVE INSTRUMENTATION PACKAGE					L+01:00	L+01:15										
8	MOVE ARTICLE INTO WING					L+01:15	L+01:30										
9	DO MLOAD PACKAGE					L+01:30	L+02:30										
10	SCDA DATA TO DCA (FOR REPAIR 113)						L+03:30										
11	SEP DATA TO DCA						L+04:15										
12	"TAKE" TO SUPPLY						L+05:00										
13	PACKAGE SUBMIT [] 25X1A						L+05:00										
14	SD II TARE TO SECURITY						L+05:00										
15	INS/SCDA TAB RUN TO SECURITY						L+05:00										
16	SCDA TARE TO SECURITY						L+09:00										
17	INS SUBMIT [] 25X1A						L+20:00										
							</										

140000 19 19z

DCM

NOINTENFGUP

G PTZ

P

IM

VD26

181-2627/0.9":":1113

884/141840Z ZFF-3

BT

XXXXX

25X1A

22101

TOP SECRET 141836Z CITE [REDACTED] 657

25X1A

IMMEDIATE [REDACTED]

25X1A

25X1A

FOR [REDACTED] EYES ONLY COMMANDER 25X1A

A. BX6729

B. MISSION ALERT MSG

C. 0115Z/ 16 OCTOBER 67

25X1A

D. [REDACTED]

E. NORTH VIETNAM.

25X1A

G. BACK-UP AIRCRAFT REQUIRED. SAME EQUIPMENT AS PARA F.

H. DTFC TO LAUNCH BACK-UP ACFT AT APPROX 0215Z/ 16 OCT 67

IN EVENT PRIMARY ACFT GROUND/AIR ABORTS. THIS ALERT FOR MODIFIED BLACK SHIELD CANNED ROUTE NBR 22B. FIRST PASS PRIMARY ROUTE ONE

A. OPTION ONE B. SECOND PASS PRIMARY ROUTE TWO A,

OPTION TWO B. A-50 ADDITIVE WILL NOT REPEAT WILL NOT BE USED ON THIS MISSION.

TOP SECRET

BT

TOP SECRET

FROM: Mission Coordinator

15 OCT 1967

SUBJECT: Mission Alert Notification

TO: (See Below)

Request your attendance at the Commander's Briefing to be held
in the Operations Briefing Room on 15 OCT 1967 at

X 1230 L. The briefing concerns the following:

1. Mission Code Name and Number: BX 6729
2. Date/Time of Launch (H-Hour): 16 OCT / 0115Z / 1015 L.
3. Ground Spare (H+1:00): 16 OCT / 0215Z / 1115 L.
4. Bases: Takeoff Staging , Landing

5.
6. Ground Spare Requirements: SAME AS PRIMARY

7. Special Instructions/Comments: A-50 ADDITIVE WILL NOT BE USED.

FOR THE COMMANDER

Mission Coordinator

Office	Time(L)	Recipient	Office	Time(L)	Recipient
CMDR	_____	_____	DCOL	_____	_____
DCO	_____	_____	DCOC/MC	_____	_____
DCM	_____	_____	DCOMI	_____	_____
DCS	_____	_____	DCOW	_____	_____
SECUR	_____	_____	COMMO	_____	_____
FLT SURG	_____	_____	AFCS	_____	(Notify Only)
DCOM	_____	_____	TTEC(SAC)	_____	(Notify Only)

TOP SECRET

Next 2 Page(s) In Document Exempt